



SAFETY DATA SHEET

3.0 Revision Date 09/04/2017

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 **Product identifiers**

Product name

Erbium(III) fluoride

Brand

SAM

CAS-No.

: 13760-83-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Stanford Advanced

Company

: Materials

23661 Birtcher Dr. Lake Forest, CA 92630

USA

Telephone

+1 (949) 407-8904

Fax

+1 (949) 812-6690

1.4 **Emergency telephone number**

Emergency Phone #

+1 (949) 407-8904

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 3), H311

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H301 + H311 + H331

Toxic if swallowed, in contact with skin or if inhaled.

Precautionary statement(s)

P261 P264 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

P270 P271 P280 Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing.

P301 + P310

IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302 + P352

IF ON SKIN: Wash with plenty of soap and water.

P304 + P340

IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P312

Call a POISON CENTER/doctor if you feel unwell.

P322 Specific measures (see supplemental first aid instructions on this label).

P330 Rinse mouth.

P361 Remove/Take off immediately all contaminated clothing.

P363 Wash contaminated clothing before reuse.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Contact with acids liberates very toxic gas.

Weak hydrogen fluoride-releaser

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1Substances

Formula : ErF3

Molecular weight : 224.25 g/mol CAS-No. : 13760-83-3 EC-No. : 237-356-3

Hazardous components

| Component | | | Classification | | | Concentration |
|--------------------|------|------|----------------|-----------|----------|---------------|
| Erbium trifluoride | | | | ' | 1 | |
| | | | | . 3; H301 | + H311 + | 90 - 100 % |
| | | | H331 | | | |

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician. First treatment with calcium gluconate paste.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Dry powder

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

6.2

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Never allow product to get in contact with water during storage. Do not store near acids.

Keep in a dry place.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL

PROTECTION 8.1 Control parameters

Components with workplace control parameters

| Componente was workplace control parameters | | | | | | | | | | | |
|---------------------------------------------|------------|-------------|---------------------------------|-----------------------------------------|--|--|--|--|--|--|--|
| Component | CAS-No. | Value | Control | Basis | | | | | | | |
| 111 | : | | parameters | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | | | | | |
| Erbium trifluoride | 13760-83-3 | TWA | 2.500000 | USA. Occupational Exposure Limits | | | | | | | |
| | | | mg/m3 | (OSHA) - Table Z-1 Limits for Air | | | | | | | |
| | | | | Contaminants | | | | | | | |
| 1 1 | Remarks | CAS numbe | CAS number varies with compound | | | | | | | | |
| | | TWA | 2.500000 | USA. Occupational Exposure Limits | | | | | | | |
| | | | mg/m3 | (OSHA) - Table Z-2 | | | | | | | |
| | : | Z37.28-1969 | | | | | | | | | |

| | | | : . | TWA | 2.500000 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) | | | | | |
|---|---------|-----|-----|----------------------------------------|--------------------|-----------------------------------------------------------------------------------------|--|--|--|--|--|
| | 1 | | : | Bone damag | | | | | | | |
| | | | | (see BEI® s | | a Biological Exposure Index or Indices rcinogen | | | | | |
| | : ' ' | , | | varies | | | | | | | |
| | | | | TWA | 2.500000 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) | | | | | |
| | ' | ٠., | | Bone damag Fluorosis | ge | | | | | | |
| | | | | Substances | for which there is | a Biological Exposure Index or Indices | | | | | |
| | | | | (see BEI® section) | | | | | | | |
| 1 | : | | 1 | Not classifiable as a human carcinogen | | | | | | | |
| | | | | varies | | | | | | | |
| | | | | TWA | 2.5 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air | | | | | |
| | | | | 111 | | Contaminants | | | | | |
| | | | | | er varies with com | | | | | | |
| , | | | | TWA | 2.5 mg/m3 | USA. ACGIH Threshold Limit Values (TLV) | | | | | |
| | | | | Bone damaç Fluorosis | ge | | | | | | |
| : | `: - | . : | : | (see BEI® s | | a Biological Exposure Index or Indices arcinogen | | | | | |
| : | | | ; | PEL | 2.5 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) | | | | | |

Biological occupational exposure limits

| Component | CAS-No. | Parameters | Value | Biological specimen | Basis |
|--------------------|------------|------------------|-----------------|---------------------|-------------------------------------------------|
| Erbium trifluoride | 13760-83-3 | Fluoride | 3.0000 pmg/g | In urine | ACGIH - Biological Exposure Indices (BEI) |
| | Remarks | Prior to shift (| 16 hours afte | er exposure cease | es) |
| 1 | : . : | Fluoride | 10.0000 mg/g | In urine | ACGIH - Biological Exposure Indices (BEI) |
| | | End of shift (A | As soon as po | osure ceases) | |
| | | Fluoride | 2 mg/l | Urine | ACGIH - Biological Exposure Indices (BEI) |
| | | Prior to shift (| 16 hours afte | er exposure cease | es) |
| | | Fluoride | 3 mg/l | Urine | ACGIH - Biological Exposure Indices (BEI) |
| 1 | | End of shift (A | As soon as po | ossible after expo | osure ceases) |

8.2Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| a) | Appearance | Form: powder |
|-----------------|----------------------------------------------------|-------------------|
| b) | Odour | No data available |
| c) ; | Odour Threshold | No data available |
| d) | рН | No data available |
| e) | Melting point/freezing point | No data available |
| f) | Initial boiling point and boiling range | No data available |
| g) ['] | Flash point | Not applicable |
| h) | Evaporation rate | No data available |
| i) , | Flammability (solid, gas) | No data available |
| j) ; | Upper/lower flammability or explosive limits | No data available |
| k) | Vapour pressure | No data available |
| l) , | Vapour density | No data available |
| m) | Relative density | No data available |
| n) | Water solubility | No data available |

o) Partition coefficient: noctanol/water No data available

p) Auto-ignition temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity

No data available

s) Explosive properties

No data available

t) Oxidizing properties

No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Avoid moisture.

10.5 Incompatible materials

Strong reducing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen fluoride, Erbium oxides Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC:

3 - Group 3: Not classifiable as to its carcinogenicity to humans (Erbium trifluoride)

IARC:

NTP:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is identified as

a known or anticipated carcinogen by NTP.

No component of this product present at levels greater than or equal to 0.1% is identified as

a known or anticipated carcinogen by NTP.

OSHA:

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia.

Salivation, Nausea, Abdominal pain, Vomiting, Fever, Rapid respiration, Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia., burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3288 Class: 6.1 Packing group: III Proper shipping name: Toxic solid, inorganic, n.o.s. (Erbium trifluoride)

Poison Inhalation Hazard: No

IMDG

UN number: 3288 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: TOXIC SOLID, INORGANIC, N.O.S. (Erbium trifluoride)

IATA

UN number: 3288 Class: 6.1 Packing group: III Proper shipping name: Toxic solid, inorganic, n.o.s. (Erbium trifluoride)

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Erbium trifluoride CAS-No. Revision Date 2008-06-01

New Jersey Right To Know Components

CAS-No. Revision Date Erbium trifluoride 13760-83-3 2008-06-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity
H301 Toxic if swallowed.

H301 + H311 + Toxic if swallowed, in contact with skin or if inhaled.

H331

H311 Toxic in contact with skin.

HMIS Rating

Health hazard: 2
Chronic Health Hazard: Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 2
Fire Hazard: 0
Reactivity Hazard: 0

Further information

This material safety data sheet is offered solely for your information, consideration, and investigation. Stanford Advanced Materials provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein.

| | | : | 1 | | | | | | | | : | | | ; |
|-----|-----|-----|-------|-----|-----|-------|-----|-----|-------|-----|----|-------|-----------|-----|
| .* | ٠ | : . | | ٠ | | | ٠ | : . | | ٠ | | | ٠ | : . |
| : | . : | : | `: | . : | : | `: | . : | : | `: | . : | : | 1 | . : | : |
| | | ; | : ' ' | | : | : ' ' | | : | : | | : | : ' ' | | ; |
| | | | | | | | | | | | | | | |
| | | :. | | | | | | | | | | | | |
| : | | : | `: | . : | : | `: | . : | : | `: | . : | : | `: | . : | : |
| | | : | | : . | : | : | | : | : ' ' | | : | : " | : . | : |
| .* | ` | :. | | ٠ | : | ' | ٠ | | ' | ٠ | | | 1 | |
| : | . : | : | 1 | . : | : | 1: | . : | : | `: | | : | `: | | : |
| | | : | :'' | : . | : | : | | : | : | | : | : ' ' | | ; |
| .* | · | : . | | ٠ | | ' | ٠ | | ' | 1 | | ' | ٠ | : . |
| : | | : | 1 | | : | `: | | : | `: | | : | 1 | | : |
| | | : | : | : . | : | :" | | : | :'' | | : | : ' ' | : . | : |
| . ' | · | :. | ' | ' | | ' | ٠ | | ' | | | ' | ٠ | |
| : | | ; | 1 | | ; | `: | | : | `; | | 1 | `; | | ; |
| | | : | :** | | : | | | : | : | | : | : ' ' | | : |
| | · | : . | ' | · | : . | ' | · | | ' | ٠,, | :. | ' | ٠ | : . |
| : | | : | 1 | . : | : | 1: | . : | : | `; | | : | ·: | Page 9 of | 9 |
| | | : | :** | | 1 | : | | : | : | : . | : | : ' ' | :. | : |