



SAFETY DATA SHEET

Version 3.0 Revision Date 09/04/2017

1. PRODUCT AND COMPANY IDENTIFICATION

1.1Product identifiers

Product name

Lead

: SAM

CAS-No.

Brand

: 7439-92-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Stanford Advanced

Company

: Materials

23661 Birtcher Dr. Lake Forest, CA 92630

USA

Telephone

+1 (949) 407-8904

Fax

+1 (949) 812-6690

1.4 Emergency telephone number

Emergency Phone #

+1 (949) 407-8904

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302

Carcinogenicity (Category 2), H351 Reproductive toxicity (Category 2), H361

Specific target organ toxicity - repeated exposure (Category 2), H373

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Warning

Hazard statement(s)

H302 Harmful if swallowed.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P264 Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. P270 Avoid release to the environment. P273 Wear protective gloves/ protective clothing/ eye protection/ face P280 protection. P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Rinse mouth.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1Substances

P260

Formula Pb

207.20 g/mol Molecular weight 7439-92-1 CAS-No. EC-No. 231-100-4

Hazardous components

Component				Classification	Concentration
Lead	,				
	, '	 ',	, '	Acute Tox. 4; Carc. 2; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H302, H351, H372, H410	90 - 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL

PROTECTION 8.1 Control parameters

Components with workplace control parameters

		ii oi paraiiioto								
Component	CAS-No.	Value	Control	Basis						
			parameters							
	Remarks	See 1910.10	25							
Lead	7439-92-1	TWA	0.05 mg/m3	USA. ACGIH Threshold Limit Values						
				(TLV)						
		Confirmed a	Confirmed animal carcinogen with unknown relevance to humans							
		TWA	0.05 mg/m3	USA. ACGIH Threshold Limit Values						
				(TLV)						
		Central Nerv	ous System impai	rment						
1 1		Hematologic	effects							
		Peripheral N	ervous System im	pairment						
		Substances for which there is a Biological Exposure Index or Indices								
1		(see BEI® se	(see BEI® section)							
,		Confirmed animal carcinogen with unknown relevance to humans								

	'		TWA	0.05 mg/m3	USA. NIOSH Recommended Exposure Limits	
			See Appendi	ix C		7

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
.: :::		Lead	200 μg/l		ACGIH - Biological Exposure Indices (BEI)
	Remarks	Not critical			

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 Information on basic physical and chemical properties
 - a) Appearance

Form: powder

b) Odour

No data available

Odour Threshold No data available c) рΗ d) No data available Melting point/range: 327.4 °C (621.3 °F) - lit. Melting point/freezing point 1,740 °C (3,164 °F) - lit. Initial boiling point and f) boiling range Not applicable Flash point g) h) Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower No data available flammability or explosive limits Vapour pressure No data available k) I) Vapour density No data available No data available m) Relative density n) Water solubility No data available Partition coefficient: n-No data available octanol/water Auto-ignition No data available temperature Decomposition No data available

temperature r) Viscosity

No data available

s) Explosive properties

No data available

t) Oxidizing properties

No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong acids

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Lead oxides Other decomposition products - No data available In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

Rat

Cytogenetic analysis

Carcinogenicity

Limited evidence of carcinogenicity in animal studies

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Lead)

NTP: RAHC - Reasonably anticipated to be a human carcinogenThe reference note has

been added by TD based on the background information of the NTP. (Lead)

OSHA: OSHA specifically regulated carcinogen (Lead)

Reproductive toxicity

Reproductive toxicity - Rat - Inhalation

Effects on Newborn: Biochemical and metabolic.

Reproductive toxicity - Rat - Oral Effects on Newborn: Behavioral.

Reproductive toxicity - Mouse - Oral

Effects on Fertility: Female fertility index (e.g., # females pregnant per females mated). Effects on Fertility: Pre-implantation mortality (e.g., reduction in numbe corpora lutea).

May damage fertility. May damage the unborn child.

Developmental Toxicity - Rat - Inhalation

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Blood and lymphatic system (including spleen and marrow).

Developmental Toxicity - Rat - Oral

Specific Developmental Abnormalities: Blood and lymphatic system (including spleen and marrow). Effects on Newborn: Growth statistics (e.g., reduced weight gain).

Developmental Toxicity - Rat - Oral

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Effects on Embryo or Fetus: Fetal death.

Developmental Toxicity - Mouse - Oral

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Effects on Embryo or Fetus: Fetal death.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

No data available

Additional Information

RTECS: OF7525000

anemia

Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish mortality LOEC - Oncorhynchus mykiss (rainbow trout) - 1.19 mg/l - 96.0 h

LC50 - Micropterus dolomieui - 2.2 mg/l - 96.0 h

mortality NOEC - Salvelinus fontinalis - 1.7 mg/l - 10.0 d

Toxicity to daphnia and other aquatic invertebrates

mortality LOEC - Daphnia (water flea) - 0.17 mg/l - 24 h

mortality NOEC - Daphnia (water flea) - 0.099 mg/l - 24 h

Toxicity to algae mortality EC50 - Skeletonema costatum - 7.94 mg/l - 10 d

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Bioaccumulation Oncorhynchus kisutch - 2 Weeks

- 150 µg/l

Bioconcentration factor (BCF): 12

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Lead)

Reportable Quantity (RQ): 10 lbs Poison Inhalation Hazard: No

IMDG

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Lead)

Marine pollutant:yes

IATA

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Lead)

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. **Revision Date** 7439-92-1 2015-11-23

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components		1.			10.
Lead			CAS-No. 7439-92-1		Revision Date 2015-11-23
Pennsylvania Right To Know Components Lead		.:	CAS-No. 7439-92-1		Revision Date 2015-11-23
Lead			CAS-No. 7439-92-1		Revision Date 2015-11-23
New Jersey Right To Know Components Lead	٠.	٠.,	CAS-No. 7439-92-1	٠٠,	Revision Date 2015-11-23
California Prop. 65 Components WARNING! This product contains a chemical kn State of California to cause cancer. Lead	own to th	ie ;	CAS-No. 7439-92-1	'	Revision Date 2009-02-01
WARNING: This product contains a chemical kn	own to th	ne	CAS-No.		Revision Date

7439-92-1

2009-02-01

16. OTHER INFORMATION

harm. Lead

Full text of H-Statements referred to under sections 2 and 3.

State of California to cause birth defects or other reproductive

Acute Tox.	Acute toxicity	
Aquatic Acute	Acute aquatic toxicity	
Aquatic Chronic	Chronic aquatic toxicity	
Carc.	Carcinogenicity	1
H302	Harmful if swallowed.	
H351	Suspected of causing cancer.	
H361	Suspected of damaging fertility or the unborn child.	
H372	Causes damage to organs through prolonged or repeated exposure.	peated exposure.
H373	May cause damage to organs through prolonged or repeated exposure	r repeated exposure.

Further information

This material safety data sheet is offered solely for your information, consideration, and investigation. Stanford Advanced Materials provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein.

								.:						
'	:			: '			: '						: '	
	٠٠,	9.	.:	٠٠,	5.	.:	٠٠.	5.	.:	٠٠.	4.	.:	٠٠,	٠.,
		.:	: • •		:	: • •		:			:	:		:
		' ;												
.:	٠.	5.	.1	٠٠,	5.	.1	٠٠,	14.	.:	٠٠,	14.	.:	٠٠,	٠,
		,:	:		:	: • •		:			:	: • •		
		· :												
.:		5.	.:	٠٠,	1	.:	٠٠,	1.	.:	٠٠,	٠.	.:		1
		.;	: ' '		:	: ' '		:			:	: ' '		
		• :												
.:	٠٠,	'	.1	٠٠,		.1	٠٠,	1.	.:		``.	.:		'·,
		;	: ' '		.:	: ' '		.:	: ' '		.:	: • •	*	
		• :												
		14. 14.												
			: ' '		.:	: ' '		.:	: ' '		.:	: ' '	*	.:
'		• :			: :			• :		: •	• :			
		·												
		;	: ' '	'	.:	: ' '	'	.:	: '	'	.:	: ' '		. :