



# SAFETY DATA SHEET

Version 3.0 Revision Date 09/04/2017

#### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name

: Iron

Brand

: SAM

CAS-No.

: 7439-89-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Stanford Advanced

Company

: Materials

23661 Birtcher Dr.

Lake Forest, CA 92630

USA

Telephone

: +1 (949) 407-8904

Fax

: +1 (949) 812-6690

1.4 Emergency telephone number

Emergency Phone #

+1-(949) 407-8904

## 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable solids (Category 1), H228

Self-heating substances and mixtures (Category 1), H251

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word

Danger

Hazard statement(s)

H228

Flammable solid.

H251

Self-heating: may catch fire.

Precautionary statement(s)

P210

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Keep cool. Protect from sunlight.

P235 + P410 P240

Ground/bond container and receiving equipment.

P241

Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P280

P370 + P378

Wear protective gloves/ eye protection/ face protection.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P407

Maintain air gap between stacks/ pallets.

P413

Store bulk masses greater than .? kg/ .? lbs at temperatures not

exceeding .? °C/ .? °F.

## 2.3Hazards not otherwise classified (HNOC) or not covered by GHS - none

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1Substances

Formula

Fe

Molecular weight

55.85 g/mol

CAS-No. EC-No. 7439-89-6 231-096-4

Registration number

01-2119462838-24-XXXX

Hazardous components

Component		Classification	Concentration
Iron Powder,	:		
		Flam. Sol. 1; Self-heat. 1;	90 - 100 %
		H228, H251	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

## In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# 5. FIREFIGHTING MEASURES

## 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

No data available

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **5.4** Further information

Use water spray to cool unopened containers.

#### 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

#### 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL

## **PROTECTION 8.1 Control parameters**

## Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

## 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: powder

Colour: light grey

b) Odour odourless

c) Odour Threshold No data available

d) pH Not applicable

e) Melting point/freezing Melting point/range: 1,538 °C (2,800 °F) at 1,023 hPa (767 mmHg) point

f) Initial boiling point and 2,861 °C (5,182 °F) at 1,013 hPa (760 mmHg) boiling range

g) Flash point Not applicableh) Evaporation rate No data available

i) Flammability (solid, gas) The substance or mixture is a flammable solid with the category 1.

j) Upper/lower No data available

flammability or explosive limits

k) Vapour pressure Not applicable

I) Vapour density No data availablem) Relative density No data available

n) Water solubility insoluble

o) Partition coefficient: n- Not applicable octanol/water

p) Auto-ignition No data available temperature

q) Decomposition No data available temperature

r) Viscosity No data available

s) Explosive properties

Not explosive

t) Oxidizing properties

The substance or mixture is not classified as oxidizing.

## 9.2 Other safety information

Dust explosion class

St1

Bulk density

0.002 - 0.003 kg/m3

#### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Heat, flames and sparks.

## 10.5 Incompatible materials

Strong oxidizing agents, Strong acids

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Iron oxides

Other decomposition products - No data available

In the event of fire: see section 5

#### 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - 7,500 mg/kg

Inhalation: No data available

Dermal: No data available

No data available

#### Skin corrosion/irritation

No skin irritation

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

(OECD Test Guideline 405)

# Respiratory or skin sensitisation

Did not cause sensitisation on laboratory animals.

## Germ cell mutagenicity

S. typhimurium

Result: Not mutagenic in Ames Test

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified

as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as

a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as

a carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

Did not show teratogenic effects in animal experiments.

Animal testing did not show any effects on fertility.

## Specific target organ toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

## Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: Not available

## 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

Toxicity to fish

static test - Morone saxatilis - 13.6 mg/l - 96 h

## 12.2 Persistence and degradability

Not applicable

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

#### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

## Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

DOT (US)

UN number: 3178

Class: 4.1 Packing group: III

Proper shipping name: Flammable solid, inorganic, n.o.s. (Iron Powder,)

Reportable Quantity (RQ): Poison Inhalation Hazard: No

**IMDG** 

UN number: 3178

Class: 4.1

Packing group: III

EMS-No: F-A, S-G

Proper shipping name: FLAMMABLE SOLID, INORGANIC, N.O.S. (Iron Powder,)

**IATA** 

UN number: 3178

Class: 4.1

Packing group: III

Proper shipping name: Flammable solid, inorganic, n.o.s. (Iron Powder,)

# 15. REGULATORY INFORMATION

# **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

## **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## SARA 311/312 Hazards

No SARA Hazards

## **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

## Pennsylvania Right To Know Components

			CAS-No.	Revision Date
Iron Powder.	 	 	7439-89-6	1993-02-16

**New Jersey Right To Know Components** 

					CAS-No.	Revision Date
						1000 00 10
Iron Pow	/der,	'	1		7439-89-6	1993-02-16

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

Flam. Sol.	Flammable solids
H228	Flammable solid

H251 Self-heating: may catch fire.

Self-heat. Self-heating substances and mixtures

### **HMIS Rating**

Health hazard:	0
Chronic Health Hazard:	
Flammability:	0
Physical Hazard	0

## **NFPA Rating**

Health hazard:	0
Fire Hazard:	 0
Reactivity Hazard:	0

## **Further information**

This material safety data sheet is offered solely for your information, consideration, and investigation. Stanford Advanced Materials provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein.