

# **SAFETY DATA SHEET**

Revision Date 28-Mar-2024 Revision Number 3

### 1. Identification

Product Name Manganese(III) fluoride

Cat No.:

**CAS No** 7783-53-1

**Synonyms** Manganese trifluoride; Manganic fluoride.

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

#### Company

Stanford Advanced Materials Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

Tel: (949) 407-8904 Fax: (949) 812-6690

#### **Emergency Telephone Number**

(949) 407-8904

(This telephone number is available 24 hours per day, 7 days per week.)

### 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids
Category 2
Acute oral toxicity
Category 4
Acute Inhalation Toxicity - Dusts and Mists
Category 4
Skin Corrosion/Irritation
Category 2
Serious Eye Damage/Eye Irritation
Category 1
Specific target organ toxicity (single exposure)
Category 3

Target Organs - Respiratory system.

#### Label Elements

### Signal Word

Danger

### **Hazard Statements**

May intensify fire; oxidizer

Causes skin irritation
Causes serious eye damage
May cause respiratory irritation
Harmful if swallowed or if inhaled



#### **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep/Store away from clothing/ other combustible materials

Take any precaution to avoid mixing with combustibles

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

#### Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

#### **Eves**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

#### Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

None identified

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Manganese fluoride (MnF3)	7783-53-1	99

#### 4. First-aid measures

#### **Eye Contact**

Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Manganese(III) fluoride

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get medical attention.

Inhalation Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial

respiration. Get medical attention.

Clean mouth with water. Get medical attention. Ingestion

Most important symptoms and

effects

Notes to Physician

Causes eye burns. Causes severe eye damage.

Treat symptomatically

### 5. Fire-fighting measures

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam. **Suitable Extinguishing Media** 

**Unsuitable Extinguishing Media** No information available

**Flash Point** No information available Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available No data available Lower

**Oxidizing Properties** Oxidizer

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.).

#### **Hazardous Combustion Products**

Gaseous hydrogen fluoride (HF). Fluorine.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### NFPA

Health		Flammability			Instability			Physical hazar		
2	:	;	0 ; · ·	:	;	1; · ·	;	:	OX	

#### Accidental release measures

**Personal Precautions Environmental Precautions**  Ensure adequate ventilation. Use personal protective equipment as required.

See Section 12 for additional Ecological Information.

Up

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Do not expose spill to water. Do not let this chemical enter the environment. Keep combustibles (wood, paper, oil, etc) away from spilled material. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal.

:	111	1	7. Handling and storage			
Handling	Avoid contact with skin and eyes. Do not breathe dust. Handle product only in closed system or provide appropriate exhaust ventilation. Keep away from clothing and othe combustible materials. Do not allow contact with water.					
Storage.			Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Do not store			

near combustible materials. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong oxidizing agents. Strong acids. Strong reducing agents. Combustible material.

### 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Manganese fluoride (MnF3)	TWA: 2.5 mg/m <sup>3</sup> TWA: 0.02	(Vacated) TWA: 2.5 mg/m <sup>3</sup>	IDLH: 500 mg/m <sup>3</sup> IDLH: 250	TWA: 2.5 mg/m <sup>3</sup> TWA: 0.2
71,	mg/m³	(Vacated) Ceiling: 5 mg/m <sup>3</sup>	mg/m³	mg/m³
	TWA: 0.1 mg/m <sup>3</sup>	Ceiling: 5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	_
			STEL: 3 mg/m <sup>3</sup>	

#### **Legend**

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Ensure that eyewash stations and safety showers are close to the workstation location.

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended Filter type:** Particulates filter conforming to EN 143.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

#### 9. Physical and chemical properties

Physical State Powder Solid

**Appearance** Grey

Odor No information available

Odor Threshold No information available

pH No information available

Melting Point/Range No data available

Boiling Point/Range
No information available
No information available
No information available

Evaporation Rate Not applicable

Flammability (solid,gas)

No information available

Flammability or explosive limits

Upper No data available
Lower No data available
No information available

Vapor PressureNo information availableVapor DensityNot applicable

Specific Gravity 3.540

**Solubility** No information available

Partition coefficient; n-octanol/water

Autoignition Temperature

No data available
No information available

**Decomposition Temperature** > 600°C

**Viscosity** 

**Molecular Formula Molecular Weight** 

Not applicable

F3 Mn 111.93

### 10. Stability and reactivity

**Reactive Hazard** 

Yes

Stability

Stable under normal conditions. Hygroscopic. Moisture sensitive. Oxidizer: Contact with

combustible/organic material may cause fire.

**Conditions to Avoid** 

Incompatible products. Exposure to moist air or water. Excess heat. Combustible material.

**Incompatible Materials** 

Strong oxidizing agents, Strong acids, Strong reducing agents, Combustible material

Hazardous Decomposition Products Gaseous hydrogen fluoride (HF), Fluorine

**Hazardous Polymerization** 

Hazardous polymerization does not occur.

**Hazardous Reactions** 

None under normal processing.

### 11. Toxicological information

**Acute Toxicity** 

**Product Information Component Information** 

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation

No information available

Sensitization

No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Manganese fluoride (MnF3)	7783-53-1	Not listed				

**Mutagenic Effects** 

No information available

**Reproductive Effects** 

No information available.

**Developmental Effects** 

No information available.

**Teratogenicity** 

No information available.

STOT - single exposure

Respiratory system

STOT - repeated exposure

None known

**Aspiration hazard** 

No information available

Symptoms / effects,both acute and No information available

delayed

**Endocrine Disruptor Information** 

No information available

Other Adverse Effects

The toxicological properties have not been fully investigated.

### 12. Ecological information

**Ecotoxicity** 

Do not empty into drains.

Persistence and Degradability

Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** 

No information available.

**Mobility** 

Will likely be mobile in the environment due to its water solubility.

### 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

#### 14. Transport information DOT **UN-No** UN3087 **Hazard Class** 5.1 **Subsidiary Hazard Class** 6.1 **Packing Group** Ш **TDG UN-No** UN3087 Hazard Class 5.1 **Subsidiary Hazard Class** 6.1 **Packing Group** Ш IATA UN3087 **UN-No** OXIDIZING SOLID, TOXIC, N.O.S.\* **Proper Shipping Name Hazard Class** 5.1

Subsidiary Hazard Class 6.1
Packing Group

IMDG/IMO

UN-No UN3087

Proper Shipping Name
Hazard Class
Subsidiary Hazard Class
Oxidizing solid, toxic, n.o.s.
5.1
6.1

Packing Group

### 15. Regulatory information

#### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification -	TSCA - EPA Regulatory
			Active-Inactive	Flags
Manganese fluoride (MnF3)	7783-53-1	X	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

#### **International Inventories**

-\_\_\_\_

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Manganese fluoride (MnF3)	7783-53-1	•	X	232-006-6	•	Χ	Χ	-	-	KE-23051

KECL + NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

#### **SARA** 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
Manganese fluoride (MnF3)	7783-53-1	99	1.0 %	-

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

Not applicable

#### Clean Air Act

. [	Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
	Manganese fluoride (MnF3)	X		-

**OSHA** - Occupational Safety and

Not applicable

Health Administration

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Manganese fluoride	-	X	X	X	X
(MnF3)		111	1 1 1		111

#### **U.S. Department of Transportation**

Reportable Quantity (RQ):

DOT Marine Pollutant

DOT Severe Marine Pollutant

N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

#### Authorisation/Restrictions according to EU REACH

Not applicable

	Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
		1, 111	Annex XIV - Substances Subject to Authorization		Candidate List of Substances of Very High
- 1					Concern (SVHC)
Ī	Manganese fluoride (MnF3)	7783-53-1	-	-	-

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
					Substances (Nons)
Manganese fluoride (MnF3)	7783-53-1	Not applicable	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

#### Other International Regulations

	Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
-1	Manganese fluoride (MnF3)	7783-53-1	Not applicable	Not applicable	Not applicable	Not applicable

|--|

**Prepared By** 

Stanford Advanced Materials Email: sales@samaterials.com

www.samaterials.com

Revision Date Print Date

28-Mar-2024 28-Mar-2024

**Revision Summary** 

New emergency telephone response service provider.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**